


## **METIS EDS ALPHA - Cultural Heritage**

The innovative A3/A2 desktop planetary scanner with a superior image quality, ergonomics and high productivity in a unique integrated solution.

EDS (Easy Digital Scanner) means great quality, speed and ease-of-use.

**METIS TECHNOLOGY** 



► Optical resolution up to 600 PPI



## The V-Table design

The EDS ALPHA integrates an innovative V-Table design supported by specific software tools in order to hold the originals in any possible position/angle. The V-table has been specifically designed by Metis in order to accept and gently hold different kind of originals in an optimal manner, even antique books with limited opening angle. The V-Table allows scanning large books, maps, drawings and many types of originals even larger than the A2 format and up to 10 cm of thickness. Thanks to the METIS exclusive "shape recognition" and "curvature correction" technology integrated into the EDS software, the document shape is detected in real time and the acquired image is deskewed in a fraction of second delivering a perfect result.







► Example 1



► Example 2




► Lighting Kit (optional)

Plates distance may also vary independently

## Automatic shape and finger recognition

The METIS EDS software is capable of recognizing the shape of the pages and the operators fingers. Furthermore, the acquisition can be automatically triggered when the fingers are recognized.




		Keryteen Yeotspac: Kates Am
congress and an analysis of the congress of th	I there planes was the artistical charge, response, ex-en planes employed, designation on particular charge of the planes of the artistic charge of the artisti	An of the control of
9	Kiddin day keyene caballs	Shirts State Seattles & House
2.70	Control of the contro	
300	Control of the Contro	Ser Annual Service
4.10	reated Managed is Deputy and	W. All-Page Managerial
87.6	imoc ytauristoc ji ničov rejektopoc esist ryptoc ytauristoc ji (ingocros) pritraministoc ji (incodros) ryptoc rejektoc oc	PE SANTANDANANA
6.0	rulker nontenuest, a.	m adductor industrial
878	wildegrad interests in	n bicass limens
9 . 2	(#SA) YOU HISIANDS	m. bicago limente caput house m. gestroccessus, sapat lalimete
16. V	compositioning in the regions.	
II y	edispokritures is new regality.	in, gashocramus, casul molide tig. samocrate
12 A	Abbeur mynapet mut.	tig satroignale
12 n	10649 V	
24 . 0	Right Showning as older Springerflows	m, otoreas minimas
75.0	CONTRACTOR	
35 8	Mystick V.	
		A Mariera gramman american
10000	months is	of Addresses
20 X	ru bveročni u	m. bossinator defermate
345 M	enu filhopet u	W. pemeluk liderer
2000	Provinces and Torris	Partie Enthalia
24 + 25	TORROWSHING MAKING YOU WINSAIL	Partie Methodo bara tracharbella massi gule Ingenti
30 .	Additional and the second	Total Control of the
27 1	Married Section 1977	- C. 200 C. 1
28.0	rent o restriction special rent or plant the popular	The state of the s
29	NAPATION IN	The Association Co.
	interior in programme)	- Control
	Intellige in (Streeting) (Krief in Streeting) (Krief in Streeting)	The Second Co.
22. v	Constant of the constant of th	(branet supoperture))
23.4	MOUNT NOT CARRY	A dodebbys
24.4	Av schools a	A publish wine
11:3	ana phromatick morbio fispermoli is see phose	THE PARTY OF THE P
	more features in the phone	THE SHAREST MARKET SERVICE
105.00	ma y fourment of	a glass agence a glassa seperac at basine basine saan
300		
30 0	mp Yhdertonin's, makes Yha Malanan migarensi je.	



## Automatic curvature correction and finger removal

After recognition, METIS EDS software is able to correct the curvature and to automatically remove recognized fingers from the image.

## **EDS ALPHA system**



#### Among the main EDS-ALPHA characteristics we highlight:


- Maximum scan size and resolution can vary according to user needs thanks to the integrated zoom optics; this makes possible to acquire at best originals up to the A2 format and up to 600 PPI.
- Unique METIS V-table solution with automatic shape recognition, deskew, curvature correction and fingers removal features.
- Unrivalled image quality, far beyond any other similar solution.
- · Extremely rapid acquisition time (about 30 full scans per minute).
- · Comprehensive METIS EDS acquisition software with many powerful and useful tools/features.
- · Is extremely easy to use thanks to the EDS software user-friendly "icon based" interface which also supports touch screens.

#### **USB** and more

The EDS ALPHA integrates two USB hubs allowing simplified connections (such as for the foot pedal, keyboard/mouse, external HD). An USB foot pedal is provided in order to command a new acquisition freeing the operator hands.











## **SPECIFICATIONS**

#### **METIS EDS ALPHA**

#### **Technical Specifications**

- Supported Cameras: Canon EOS R10 mirrorless 24.2 MegaPixels and Canon EOS 850D reflex 24 MegaPixels
- Acquisition color depth: 14bit per channel (3 x 14 bit)
- Integrated Zoom optics with motorized focus. The EDS software supports several optics
- Integrated sensors for realtime reading of exposure, color temperature and automatic focus
- Adjustable working area: it includes the V-table which consists of two tiltable, shiftable and fully independent plates easily adaptable to different needs and perfectly accommodate even difficult original such as old and fragile books with limited opening.
- Maximum acquisition format: higher than A2 (A2 = 594 x 420 mm - 23.4 x 16.54 in)
- Adjustable optical resolution from about 240PPI to about 600PPI
- Adjustable output resolution
- Acquisition time < 1 second; full cycle time, between one acquisition and the next one, including acquisition, processing and saving: ~ 2 seconds
- Parallel image processing and saving do not affect the acquisition time; thanks to the powerful algrithms, the processing and saving time is usually extremely fast and is completed in less of one
- Lighiting kit: optional
- Dimensions: width 67 cm (26,38 in), depth 71 cm (27,95 in); height 80 cm (31,50 in); width with the lighting Kit: about 115 cm (45,27 in)
- Weights: 24 Kg (52,91 lb) without camera, computer and monitor; weight of the lighting kit: 2,5 Kg (5,51 lb)

#### Minimal PC Specifications

- i5 Intel Processor and 8GB RAM
- 2 x USB-2.0 and 2 x USB 3.0 ports
- Windows 10 or 11 64bit

# METIS EDS software specifications

- Color, grayscale or black/white 1bit
- Automatic or manual exposure control
- Automatic or manual focus control
- Automatic or manual depth of field control
- Automatic or manual gray balance control (light color temperature compensation)
- Software control of image exposure and contrast
- Automatic or manual Crop
- Automatic deskew and curvature correction
- Light uniformity and paper color correction filters
- Automatic book center and shape recognition
- Automatic book page split with used definable overlap
- User definable image orientation
- Automatic fingers recognition and removal filter
- Unsharp masking filter
- "Live Video" function: allows a real-time control over the scanning area; this is particularly useful in order to maximize image quality and to perfectly position the original respect to the camera
- Image review and navigator tools with a full resolution image
- Add/remove/insert shot button
- Automatic image naming with user selectable rules (manual naming, programmable increments, etc.)
- Keyboard shortcuts
- Image saving in TIFF, JPEG, JPEG2000, BMP, PNG, PDF, PDF-A, PDF Multipage, TIFF Multipage, TIFFG4 1bit
- Automatic Job handling allowing to reuse saved shooting param-

### **METIS Systems s.r.l.** Via del Fontanile Arenato 295 00163 Rome Italy

Tel. +39.06.6615.0066 Fax +39.06.6614.1265

E-mail: info@metis-group.com WEB: www.metis-group.com



